

Potassium chromate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017


Doc No: SDS-960.046/0



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Substance name : Potassium chromate
EC Index-No. : 024-006-00-8
EC-No. : 232-140-5
CAS-No. : 7789-00-6
Type of product : Pure substance
Formula : K_2CrO_4
Chemical structure :



Synonyms : bipotassium chromate / chromate of potass / chromic acid ($H_2Cr_2O_4$), dipotassium salt / chromic acid, dipotassium salt (=potassium chromate) / dipotassium chromate / dipotassium monochromate/ neutral potassium chromate / potassium chromate(VI) / potassium chromate, neutral / tarapacaite / tarapacaite, natural / tarapacaite,natural

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Anti-corrosion agent
Laboratory chemical
Dyestuff/pigment: component

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

ISOLAB GmbH
Bahnhofstrasse 10, D-97877
Wertheim - Germany
T +49 93 42 912 355 - F +49 93 42 912 357
prodsafe@isolab.de

1.4. Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftnotruf der Charité CBF, Haus VIII (Wirtschaftgebäude), UG	Hindenburgdamm 30 12203 Berlin	+49 30 19240	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Carc. 1B H350
Muta. 1B H340
Eye Irrit. 2 H319
STOT SE 3 H335
Skin Irrit. 2 H315
Skin Sens. 1 H317
Aquatic Acute 1 H400
Aquatic Chronic 1 H410

Full text of hazard classes and H-statements : see section 16

Specific concentration limits:

(C >= 0.5) Skin Sens. 1, H317

Adverse physicochemical, human health and environmental effects

No additional information available

Potassium chromate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-960.046/0



2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



Signal word (CLP) :

Danger

Hazard statements (CLP) :

H350i - May cause cancer by inhalation
H340 - May cause genetic defects
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H410 - Very toxic to aquatic life with long lasting effects

Precautionary statements (CLP) :

P201 - Obtain special instructions before use.
P273 - Avoid release to the environment.
P280 - Wear protective gloves.
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308 + P313 - IF exposed or concerned: Get medical advice/ attention.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Name	Product identifier	%
Potassium chromate substance listed as REACH Candidate substance listed in REACH Annex XIV	(CAS-No.) 7789-00-6 (EC-No.) 232-140-5 (EC Index-No.) 024-006-00-8	100

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Check the vital functions. Unconscious: maintain adequate airway and respiration. Respiratory arrest: artificial respiration or oxygen. Cardiac arrest: perform resuscitation. Victim conscious with laboured breathing: half-seated. Victim in shock: on his back with legs slightly raised. Vomiting: prevent asphyxia/aspiration pneumonia. Prevent cooling by covering the victim (no warming up). Keep watching the victim. Give psychological aid. Keep the victim calm, avoid physical strain. Depending on the victim's condition: doctor/hospital.
First-aid measures after inhalation	: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. Doctor: administration of corticoid spray.
First-aid measures after skin contact	: Wash immediately with lots of water. Do not apply (chemical) neutralizing agents. Remove clothing before washing. Take victim to a doctor if irritation persists.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Do not apply neutralizing agents. Take victim to an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth with water. Immediately after ingestion: give lots of water to drink. Do not induce vomiting. Call Poison Information Centre (www.big.be/antigif.htm). Consult a doctor/medical service if you feel unwell. Ingestion of large quantities: immediately to hospital. Take the container/vomit to the doctor/hospital. Doctor: gastric lavage.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: AFTER INHALATION OF DUST: Dry/sore throat. Coughing. Irritation of the respiratory tract. Irritation of the nasal mucous membranes. FOLLOWING SYMPTOMS MAY APPEAR LATER: Risk of lung oedema.
Symptoms/effects after skin contact	: Tingling/irritation of the skin.

Potassium chromate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-960.046/0



Symptoms/effects after eye contact	: Irritation of the eye tissue. ON CONTINUOUS EXPOSURE/CONTACT: Corrosion of the eye tissue.
Symptoms/effects after ingestion	: Nausea. Vomiting. AFTER ABSORPTION OF HIGH QUANTITIES: Bleeding of the gastrointestinal tract. Slowing heart action. Shock. FOLLOWING SYMPTOMS MAY APPEAR LATER: Enlargement/affection of the liver. Affection of the renal tissue.
Chronic symptoms	: ON CONTINUOUS/REPEATED EXPOSURE/CONTACT: Slow-healing wounds. Skin rash/inflammation. Inflammation/damage of the eye tissue. Affection of the nasal septum. Change in the haemogramme/blood composition. Possible inflammation of the respiratory tract. Lung tissue affection/degeneration. Enlargement/affection of the liver. Affection of the renal tissue.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Adapt extinguishing media to the environment.
Unsuitable extinguishing media	: No unsuitable extinguishing media known.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: DIRECT FIRE HAZARD. Non combustible. INDIRECT FIRE HAZARD. Promotes combustion. Reactions involving a fire hazard: see "Reactivity Hazard".
Explosion hazard	: INDIRECT EXPLOSION HAZARD. Reactions with explosion hazards: see "Reactivity Hazard".

5.3. Advice for firefighters

Precautionary measures fire	: Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.
Firefighting instructions	: Cool tanks/drums with water spray/remove them into safety. Take account of toxic fire-fighting water. Use water moderately and if possible collect or contain it.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Protective equipment	: Gloves. Face-shield. Protective clothing. Dust cloud production: compressed air/oxygen apparatus. Dust cloud production: dust-tight suit. See "Material-Handling" to select protective clothing.
Emergency procedures	: Mark the danger area. Prevent dust cloud formation. Keep containers closed. Wash contaminated clothes. In case of reactivity hazard: consider evacuation.
Measures in case of dust release	: In case of dust production: keep upwind. Dust production: have neighbourhood close doors and windows.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

For containment	: Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Dam up the solid spill. Knock down/dilute dust cloud with water spray.
Methods for cleaning up	: Prevent dust cloud formation. Scoop solid spill into closing containers. See "Material-handling" for suitable container materials. Carefully collect the spill/leftovers. Spill must not return in its original container. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Keep the substance free from contamination. Thoroughly clean/dry the installation before use. Do not discharge the waste into the drain. Avoid raising dust. Keep away from naked flames/heat. Observe very strict hygiene - avoid contact. Keep container tightly closed. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.
-------------------------------	--

Potassium chromate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-960.046/0



7.2. Conditions for safe storage, including any incompatibilities

Heat and ignition sources	: KEEP SUBSTANCE AWAY FROM: heat sources.
Information on mixed storage	: KEEP SUBSTANCE AWAY FROM: combustible materials. reducing agents. (strong) acids. organic materials.
Storage area	: Store in a dry area. Keep container in a well-ventilated place. Keep locked up. Unauthorized persons are not admitted. Meet the legal requirements.
Special rules on packaging	: SPECIAL REQUIREMENTS: closing. clean. correctly labelled. meet the legal requirements. Secure fragile packagings in solid containers.
Packaging materials	: SUITABLE MATERIAL: steel. synthetic material. MATERIAL TO AVOID: iron. copper.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Potassium chromate (7789-00-6)		
Belgium	Limit value (mg/m ³)	0.05 mg/m ³ (Chrome VI, composés solubles dans l'eau en Cr (non classés ailleurs); Belgium; Time-weighted average exposure limit 8 h)
Finland	Local name	Kaliumkromaatti
Finland	HTP-arvo (8h) (mg/m ³)	0.005 mg/m ³
Finland	Huomautus (FI)	Cr
France	VME (mg/m ³)	0.001 mg/m ³ (Chrome hexavalent et ses composés; France; Time-weighted average exposure limit 8 h; VRC: Valeur réglementaire contraignante)
France	VLE (mg/m ³)	0.005 mg/m ³ (Chrome hexavalent et ses composés; France; Short time value; VRC: Valeur réglementaire contraignante)
Netherlands	Grenswaarde TGG 8H (mg/m ³)	0.025 mg/m ³ (Chroom(VI)-oplosbare verbindingen (als Cr); Netherlands; Time-weighted average exposure limit 8 h; Public occupational exposure limit value; als Cr)
Netherlands	Grenswaarde TGG 15MIN (mg/m ³)	0.05 mg/m ³ (Chroom(VI)-oplosbare verbindingen (als Cr); Netherlands; Short time value; Public occupational exposure limit value; als Cr)
Spain	Local name	Cromato de potasio
Spain	VLA-ED (mg/m ³)	0.05 mg/m ³ como Cr
Spain	Notes	Sen (Sensibilizante. Véase Apartado 6), r (Esta sustancia tiene establecidas restricciones a la fabricación, la comercialización o el uso en los términos especificados en el "Reglamento (CE) n° 1907/2006 sobre Registro, Evaluación, Autorización y Restricción de sustancias y preparados químicos" (REACH) de 18 de diciembre de 2006 (DOUE L 369 de 30 de diciembre de 2006). Las restricciones de una sustancia pueden aplicarse a todos los usos o sólo a usos concretos. El anexo XVII del Reglamento REACH contiene la lista de todas las sustancias restringidas y especifica los usos que se han restringido).
United Kingdom	WEL TWA (mg/m ³)	0.05 mg/m ³ Chromium (VI) compounds (as Cr); United Kingdom; Time-weighted average exposure limit 8 h; Workplace exposure limit (EH40/2005)
USA - ACGIH	ACGIH TWA (mg/m ³)	0.05 mg/m ³ (Chromium, water-soluble inorgan. Cr VI compounds; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value)

8.2. Exposure controls

Materials for protective clothing:

GIVE GOOD RESISTANCE: butyl rubber. PVC

Hand protection:

Gloves

Potassium chromate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-960.046/0



Eye protection:

Face shield. In case of dust production: protective goggles

Skin and body protection:

Protective clothing. In case of dust production: head/neck protection. In case of dust production: dustproof clothing

Respiratory protection:

Dust production: dust mask with filter type P3. High dust production: self-contained breathing apparatus

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Crystalline solid.
Molecular mass	: 194.19 g/mol
Colour	: Yellow.
Odour	: Odourless.
Odour threshold	: No data available
pH	: 8.6 - 10 (5.0 %)
pH solution	: 5 %
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: 985 °C
Freezing point	: No data available
Boiling point	: 1000 °C
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: 0.1 hPa (20 °C)
Relative vapour density at 20 °C	: No data available
Relative density	: 2.7
Density	: 2730 kg/m ³
Solubility	: Soluble in water. Water: 63.7 g/100ml
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

Minimum ignition energy	: Not applicable
SADT	: Not applicable
VOC content	: 0 %
Other properties	: Substance has basic reaction.

SECTION 10: Stability and reactivity

10.1. Reactivity

Decomposes on exposure to temperature rise: oxidation resulting in increased fire or explosion risk. Reacts violently with many compounds e.g.: with combustible materials, with (strong) reducers and with organic material with (increased) risk of fire/explosion.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available

10.4. Conditions to avoid

No additional information available

Potassium chromate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-960.046/0



10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

No additional information available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes skin irritation. pH: 8.6 - 10 (5.0 %)
Serious eye damage/irritation	: Causes serious eye irritation. pH: 8.6 - 10 (5.0 %)
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	: May cause cancer.
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
IARC group	: 3

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Dangerous for the environment.
Ecology - air	: Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009). TA-Luft Klasse 5.2.2/III.
Ecology - water	: Severe water pollutant (surface water). Maximum concentration in drinking water: 0.050 mg/l (chromium) (Directive 98/83/EC). Harmful to fishes. Very toxic to invertebrates (Daphnia).

Potassium chromate (7789-00-6)	
LC50 fish 2	46 mg/l (LC50; 96 h)
EC50 Daphnia 1	0.18 mg/l (EC50; 48 h)

12.2. Persistence and degradability

Potassium chromate (7789-00-6)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Potassium chromate (7789-00-6)	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

12.6. Other adverse effects

No additional information available

Potassium chromate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-960.046/0



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Remove for physico-chemical/biological treatment. Remove to an authorized dump (Class I).

Additional information : LWCA (the Netherlands): KGA category 05. Hazardous waste according to Directive 2008/98/EC.

European List of Waste (LoW) code : 16 09 02* - chromates, e.g. potassium chromate, potassium or sodium dichromate

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
3288	3288	3288	3288	3288
14.2. UN proper shipping name				
TOXIC SOLID, INORGANIC, N.O.S.	TOXIC SOLID, INORGANIC, N.O.S.	Toxic solid, inorganic, n.o.s.	TOXIC SOLID, INORGANIC, N.O.S.	TOXIC SOLID, INORGANIC, N.O.S.
Transport document description				
UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, III, (E), ENVIRONMENTALLY HAZARDOUS	UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS	UN 3288 Toxic solid, inorganic, n.o.s., 6.1, III, ENVIRONMENTALLY HAZARDOUS	UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS	UN 3288 TOXIC SOLID, INORGANIC, N.O.S., 6.1, III, ENVIRONMENTALLY HAZARDOUS
14.3. Transport hazard class(es)				
6.1	6.1	6.1	6.1	6.1
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes	Dangerous for the environment : Yes
No supplementary information available				

14.6. Special precautions for user

- Overland transport

Classification code (ADR) : T5
Special provisions (ADR) : 274
Limited quantities (ADR) : 5kg
Excepted quantities (ADR) : E1
Packing instructions (ADR) : P002, IBC08, LP02, R001
Special packing provisions (ADR) : B3
Mixed packing provisions (ADR) : MP10
Portable tank and bulk container instructions (ADR) : T1
Portable tank and bulk container special provisions (ADR) : TP33
Tank code (ADR) : SGAH, L4BH
Tank special provisions (ADR) : TU15, TE19
Vehicle for tank carriage : AT
Transport category (ADR) : 2
Special provisions for carriage - Bulk (ADR) : VC1, VC2, AP7

Potassium chromate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-960.046/0




Special provisions for carriage - Loading, unloading and handling (ADR) : CV13, CV28

Special provisions for carriage - Operation (ADR) : S9

Hazard identification number (Kemler No.) : 60

Orange plates :



Tunnel restriction code (ADR) : E

EAC code : 2X

- Transport by sea

Transport regulations (IMDG) : Subject

Special provisions (IMDG) : 223, 274

Packing instructions (IMDG) : P002, LP02

IBC packing instructions (IMDG) : IBC08

IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1

Tank special provisions (IMDG) : TP33

EmS-No. (Fire) : F-A

EmS-No. (Spillage) : S-A

Stowage category (IMDG) : A

Properties and observations (IMDG) : Toxic if swallowed, by skin contact or by inhalation.

MFAG-No : 171

- Air transport

Transport regulations (IATA) : Subject to the provisions

PCA Excepted quantities (IATA) : E1

PCA Limited quantities (IATA) : Y645

PCA limited quantity max net quantity (IATA) : 10kg

PCA packing instructions (IATA) : 670

PCA max net quantity (IATA) : 100kg

CAO packing instructions (IATA) : 677

CAO max net quantity (IATA) : 200kg

Special provisions (IATA) : A3, A5

ERG code (IATA) : 6L

- Inland waterway transport

Classification code (ADN) : T5

Special provisions (ADN) : 274, 802

Limited quantities (ADN) : 5 kg

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

- Rail transport

Transport regulations (RID) : Subject

Classification code (RID) : T5

Special provisions (RID) : 274

Limited quantities (RID) : 5kg

Excepted quantities (RID) : E1

Packing instructions (RID) : P002, IBC08, LP02, R001

Special packing provisions (RID) : B3

Mixed packing provisions (RID) : MP10

Portable tank and bulk container instructions (RID) : T1

Potassium chromate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-960.046/0



Portable tank and bulk container special provisions (RID)	: TP33
Tank codes for RID tanks (RID)	: SGAH, L4BH
Special provisions for RID tanks (RID)	: TU15
Transport category (RID)	: 2
Special provisions for carriage – Bulk (RID)	: VC1, VC2, AP7
Special provisions for carriage - Loading, unloading and handling (RID)	: CW13, CW28, CW31
Colis express (express parcels) (RID)	: CE11
Hazard identification number (RID)	: 60

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Potassium chromate is on the REACH Candidate List

Potassium chromate is on the REACH Annex XIV List:

Authorisation number	Sunset date	REACH authorisation exemptions
	21/09/2017	

VOC content : 0 %

15.1.2. National regulations

Germany

VwVwS Annex reference : Water hazard class (WGK) 3, severe hazard to waters (KBwS-Beschluss; ID No. 7931)

WGK remark : Classification water polluting based on advice from the Kommission Bewertung wassergefährdender Stoffe (KBwS)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

Waterbezuwaarlijkheid : 1 - Black list substance

SZW-lijst van kankerverwekkende stoffen : Potassium chromate is listed

SZW-lijst van mutagene stoffen : Potassium chromate is listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

Denmark

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product
Pregnant/breastfeeding women working with the product must not be in direct contact with the product

The requirements from the Danish Working Environment Authorities regarding work with carcinogens must be followed during use and disposal

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate

Potassium chromate

Safety Data Sheet

according to Regulation (EU) 2015/830

Date of issue: 05/04/2017

Doc No: SDS-960.046/0



BCF	Bioconcentration factor
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
EC50	Median effective concentration
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
PBT	Persistent Bioaccumulative Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
vPvB	Very Persistent and Very Bioaccumulative

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:	
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Carc. 1B	Carcinogenicity, Category 1B
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Muta. 1B	Germ cell mutagenicity, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H340	May cause genetic defects
H350	May cause cancer
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects

SDS ISOLAB

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product